

Supply of RWSS items for the FY2022-2023															
SL.No	Description of Item (2)	Unit	Qty	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Name of supplier									
						KARMA TSHONGKHANG	P. Dhendup Tshongkhag	DIGITAL NETWORK ENTERPRISE	BAIJNATH GUPTA & SONS	CONTINENTAL BHUTAN ENTERPRISE	D.D Shop	Druk Scientific Supplier (DSS)	P.D TRADER	GAUTAM POULTRY EQUIPMENTS & GENERAL SHOP	Bhutan Agri-Tech
1.0	4inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm. (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin )	mtr	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1450.000	0.000	0.000	1295.000	0.000	0.000	0.000	0.000	0.000	0.000
2.0	3inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm.(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin )	mtr	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	950.000	0.000	0.000	885.000	0.000	0.000	0.000	0.000	0.000	0.000

3.0	2inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm. (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	mtr	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	550.000	0.000	0.000	528.000	0.000	0.000	0.000	0.000	0.000	0.000
4.0	1 1/2inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm.(BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	mtr	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	415.000	0.000	0.000	400.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

53.0	1 1/2 inch GI Unions IS 1879-1992 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	250.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
54.0	1 inch GI Unions IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	60.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
55.0	1/2 inch GI Unions IS 1879-1992 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	40.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
56.0	4inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	12100.000	0.000	0.000	6850.000	0.000	0.000	0.000	0.000	0.000	0.000
57.0	3inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	7000.000	0.000	0.000	5850.000	0.000	0.000	0.000	0.000	0.000	0.000
58.0	2inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	2100.000	0.000	0.000	3250.000	0.000	0.000	0.000	0.000	0.000	0.000
59.0	11/2inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1500.000	0.000	0.000	1850.000	0.000	0.000	0.000	0.000	0.000	0.000

60.0	1inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	680.000	0.000	0.000	1650.000	0.000	0.000	0.000	0.000	0.000	0.000
61.0	1inch - Brass Globe Valve Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	680.000	0.000	0.000	1350.000	0.000	0.000	0.000	0.000	0.000	0.000
62.0	1/2inch - Brass Globe Valve Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	600.000	0.000	0.000	1350.000	0.000	0.000	0.000	0.000	0.000	0.000
63.0	1 1/2inch - Brass Globe Valve Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1500.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
64.0	CP Brass bib cock 15mm dia(Heay Duty-BSB approved brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	600.000	0.000	0.000	450.000	0.000	0.000	0.000	0.000	0.000	0.000
65.0	Brass bib 15mm dia(Heay Duty-BSB approved brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	300.000	0.000	0.000	450.000	0.000	0.000	0.000	0.000	0.000	0.000
66.0	CP Brass stop cock 15mm dia(Heay Duty-BSB approved brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	600.000	0.000	0.000	350.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible]



78.0	1/2inch Valve box key with 3 points ( submit the sample)	Each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	700.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
79.0	Wheel Bearing Grease. in 1/2 kg pot	Pot	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	600.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
80.0	Nails - U. 8 SWG H=35 mm. W=10 mm Sharpened	Kg	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	115.000	0.000
81.0	Nails 4inch Galvanised wire nails sharpened	Kg	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	90.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	115.000	0.000
82.0	Prefab manhole cover & slab As per drawing & specification ( submit the sample)	Set	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	2500.000	0.000	0.000	2850.000	0.000	0.000	0.000	0.000	0.000	0.000
83.0	Rebar 6mm. TATA steel bars. IS - 1786/1985. Grade FE415. Plain	Kg	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	75.000	0.000	0.000	80.000	0.000	0.000	0.000	0.000	0.000	0.000
84.0	Rebar 10mm. TATA steel bars. IS - 1786/1985. Grade FE415. TOR	Kg	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	75.000	0.000	0.000	80.000	0.000	0.000	0.000	0.000	0.000	0.000
85.0	Hessian jute. 7.5 oz width 90cm. In roll of 30 meter.	Mtr	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	0.000	0.000	0.000	45.000	0.000	0.000	0.000	0.000	0.000	0.000

86.0	Barbed wire Gauge 12 SWG double wired. double barbed 90 degrees angle. every 10 cm. galvanized (IS- 278/1969). In roll of 30 kg weight tolerance +3 kg. -0 kg( BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	30kg )R	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	3000.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	117.000	0.000
87.0	Wire. GI binding Gauge 22 SWG. In roll of 1kg ( BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	kg	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
88.0	Wire. mesh chicken 23 SWG. hexagonal 15 mm. 11/2inch full twist. double string at side. width 1 metre. in rolls of 25 m ( BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	m	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	60.000	0.000	0.000	120.000	0.000	0.000	0.000	0.000	0.000	0.000
89.0	Wire.Plain Gauge 8 SWG with light galvanized coating. In rolls of 40 kg. weight tolerance of +3 kg. -0 kg. ( BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	Kg	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	120.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
90.0	Double Blade. hacksaw single side IS 2594-1976( submit the sample )	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	20.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
91.0	Measuring tape(50mtr) ( submit the sample. Bosch brand )	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	700.000	0.000	0.000	750.000	0.000	0.000	0.000	0.000	0.000	0.000



92.0	Measuring tape(30) ( submit the sample. Bosch brand )	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	350.000	0.000	0.000	350.000	0.000	0.000	0.000	0.000	0.000	0.000
93.0	Measuring tape(5mtr) ( submit the sample. Bosch brand )	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	100.000	0.000	0.000	150.000	0.000	0.000	0.000	0.000	0.000	0.000
94.0	Teflon cover/bag	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	0.000	0.000	0.000	150.000	0.000	0.000	0.000	0.000	0.000	0.000
95.0	Thermochrome crayon	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	0.000	0.000	0.000	450.000	0.000	0.000	0.000	0.000	0.000	0.000
96.0	Tin cutter/snip	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	600.000	0.000	0.000	550.000	0.000	0.000	0.000	0.000	0.000	0.000
97.0	Trowel. masonry 2 inch x 5 inch	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	80.000	0.000	0.000	80.000	0.000	0.000	0.000	0.000	0.000	0.000
98.0	Trowel. masonry 4 inch x 8 inch	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	80.000	0.000	0.000	90.000	0.000	0.000	0.000	0.000	0.000	0.000
99.0	Pipe chain vice 6inch (Ludra brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	5200.000	0.000	0.000	350.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible]

108.0	Hammer. Mason 1/2 kg	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	300.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
109.0	Hammer. sledge 1 kg	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	350.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
110.0	Heating Plate. 100 mm dia & 20mm ( submit the sample)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1700.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
111.0	Heating Plate. 100 mm dia & 15mm ( submit the sample)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1700.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
112.0	Pliers 8inch ( submit the sample. Bosch)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	300.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
113.0	Wrench. pipe 24inch (Ludra brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1800.000	0.000	0.000	1650.000	0.000	0.000	0.000	0.000	0.000	0.000
114.0	Wrench. pipe 18inch (Ludra brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	1200.000	0.000	0.000	1450.000	0.000	0.000	0.000	0.000	0.000	0.000
115.0	Wrench. pipe 14inch (Ludra brand)	each	1.000	Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar	30	500.000	0.000	0.000	1250.000	0.000	0.000	0.000	0.000	0.000	0.000

[illegible]

[illegible]

[illegible]



[illegible]








[illegible]

[illegible]

[illegible]

				Dzongkhag/T hromde/Dung khag/Gewog, Samdrup Jongkhar		1941.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2233.680	0.000
194.0	HDPE pipe 225mm (8 kg)	mtr	1.000	Jongkhar	30										
					Grand Total	298889.680	0.000	0.000	39328.000	0.000	0.000	0.000	0.000	29236.250	0.000

Submitted to Dzongkhag Tender/Awarding Committee for kind approval:

  
Dzongkhag Education Officer  
(Member)

  
Dzongkhag Engineer  
(Member)

  
Dzongkhag Planning Officer  
(Member)

  
Dzongkhag Finance Officer  
(Member)

  
Interim Procurement Officer  
(Member)

  
Sr. Dzongra  
(Member)

06/10/2022  
Dasho Dzongda  
(Chairperson)