

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)	
					KARMA TSHONGKHANG	BAIJNATH GUPTA & SONS
1	4inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm. (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	mtr	samdrup jongkhar administration	30	1450	1146
2	3inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm.(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	mtr	samdrup jongkhar administration	30	950	825
3	2inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm. (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	mtr	samdrup jongkhar administration	30	540	507
4	1 1/2inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm.(BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	mtr	samdrup jongkhar administration	30	410	367
5	1inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm. (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	mtr	samdrup jongkhar administration	30	280	248
6	1/2inch GI pipe. Medium duty IS 1239/90 longitudinally welded mild steel. hot dipped galvanised as per IS 4736/68. both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m.. Tolerance +15cm & -0cm.(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	mtr	samdrup jongkhar administration	30	195	136

7	110 mm x 4 inch Flange set IS 4984/87 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	650	720
8	90 mm x 3inch Flange set IS 4984/87 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin).	each	samdrup jongkhar administration	30	580	620
9	63 mm x 2 inch Flange set IS 4984/87 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	350	450
10	50 mm x 1 1/2 inch Flange set IS 4984/87(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	300	350
11	Brass Union. 63 mm x 2inch SP-57-1991(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	1080	1250
12	Brass Union. 50 mm x 1 1/2inch SP-57-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	900	750
13	Brass Union. 32 mm x 1inch SP-57-1993 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	650	550
14	Brass Union. 20 mm x 1/2inch SP-57-1993(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	400	450
15	4 inch GI Elbow IS 1879-1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	480	400
16	3 inch GI Elbow IS 1879- 1987(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	400	250
17	2 inch GI Elbow IS 1879-1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	120	90
18	1 1/2 inch GI Elbow IS 1879- 1987(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	105	60
19	1inch GI Elbow IS 1879-1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	60	30
20	1/2 inch GI Elbow IS 1879- 1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	40	20
21	4 inch GI Endcaps with 16M nut IS 1879-1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	300	550
22	3 inch GI Endcaps with 16M nut IS 1879-1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	300	450
23	4 inch GI Nipple Length is 10 cm Tolerance +0 cm. -2 cm. IS 1879- 1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	250	160

24	3 inch GI Nipple Length is 10 cm Tolerance +0 cm. -2 cm. IS 1879- 1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	200	130
25	2 inch GI Nipple Length is 10 cm Tolerance +0 cm. -2 cm. IS 1879- (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	80	38
26	1 1/2 inch GI Nipple Length is 10 cm Tolerance +0 cm. -2 cm. IS 1879- 1986 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	80	30
27	1 inch GI Nipple Length is 10 cm Tolerance +0 cm. -2 cm. IS 1879- 1986 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	25	20
28	1 /2inch GI Nipple Length is 10 cm Tolerance +0 cm. -2 cm. IS 1879- 1986 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	20	18
29	4inch x 3inch GI Reducers IS 1879-1987 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	600	314
30	2inch x 1 1/2inch GI Reducers IS 1879-1989(BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	110	80
31	1 1/2inch x 1inch GI Reducers IS 1879-1990 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	80	48
32	1inch x 1/2inch GI Reducers IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	60	23
33	4 inch GI Sockets IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	600	267
34	3 inch GI Sockets IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	350	165
35	2 inch GI Sockets IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	90	68
36	1 1/2 inch GI Sockets IS 1879- 1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	70	41
37	1 inch GI Sockets IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	30	25
38	1 /2inch GI Sockets IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	20	18
39	4 inch GI Tee's equal IS 1879-1992 (BSB approved brands. need to submit the sample and manufacturer's	each	samdrup jongkhar administration	30	600	545

	certificate of origin)					
40	3 inch GI Tee's equal IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	400	325
41	2 inch GI Tee's equal IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	170	123
42	1 1/2 inch GI Tee's equal IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	155	80
43	1 inch GI Tee's equal IS 1879-1992 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	60	40
44	1/2 inch GI Tee's equal IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	40	22
45	4inchx4inch x 1/2inch Unequal Tee IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	800	600
46	3inchx3inch x 1/2inch Unequal Tee IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	700	360
47	2inchx2inch x 1/2inch Unequal Tee IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	170	132
48	1 1/2inchx1 1/2inch x 1/2inch Unequal Tee IS 1879-1992 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	150	86
49	1inchx1inch x 1/2inch Unequal Tee IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	60	45
50	4 inch GI Unions IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	800	645
51	3 inch GI Unions IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	700	450
52	2 inch GI Unions IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	280	180
53	1 1/2 inch GI Unions IS 1879- 1992 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	250	110
54	1 inch GI Unions IS 1879-1992 (BSB approved brands/jindal or equivalent. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	60	60
55	1/2 inch GI Unions IS 1879- 1992 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	40	38
56	4inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	12150	6780
57	3inch - Brass Gate Valve. GM full way valve. Class I. 1.5	each	samdruk jongkhar	30	7000	3380

	MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)		administration			
58	2inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	2500	1650
59	11/2inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	1500	1050
60	1inch - Brass Gate Valve. GM full way valve. Class I. 1.5 MPa IS 778- 84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	680	530
61	1inch - Brass Globe Valve Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	680	1850
62	1/2inch - Brass Globe Valve Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	600	1250
63	1 1/2inch - Brass Globe Valve Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	1500	3550
64	CP Brass bib cock 15mm dia(Heay Duty-BSB approved brand)	each	samdruk jongkhar administration	30	600	250
65	Brass bib 15mm dia(Heay Duty-BSB approved brand)	each	samdruk jongkhar administration	30	300	350
66	CP Brass stop cock 15mm dia(Heay Duty-BSB approved brand)	each	samdruk jongkhar administration	30	600	250
67	Brass stop cock 15mm dia(Heay Duty-BSB approved brand)	each	samdruk jongkhar administration	30	600	350
68	1/2inch - Tapstand Regulating Valve set Class I. 1.5 MPa IS 778-84 (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	650	550
69	Air release Valve 1/2inch (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	1500	950
70	2inch Float Valve Copper or bras made. Min. wt +20gms. - 0gm See attached drawing for detail specification. (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	3750	3200
71	1 1/2inch Float Valve Copper or bras made. Min. wt +20gms. -0gm See attached drawing for detail specification. (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdruk jongkhar administration	30	3150	2200
72	1inch Float Valve Copper or bras made. Min. wt ...	each	samdruk jongkhar	30	2350	1800

	+20gms. - 0gm See attached drawing for detail specification. (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)		administration			
73	1/2inch Float Valve Copper or bras made. Min. wt ... +20gms. - 0gm See attached drawing for detail specification. (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	each	samdrup jongkhar administration	30	2100	1200
74	4inch Valve box with endcap GI pipe of medium duty. Burrs removed. cutted edges smoothed with file or grinder. GI-thread is clean. smooth and greased. Endcap and pipe screwed together.(BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	Each	samdrup jongkhar administration	30	3100	3200
75	2 1/2inch Valve box with endcap GI pipe of medium duty. Burrs removed. cutted edges smoothed with file or grinder. GI-thread is clean. smooth and greased. Endcap and pipe screwed together.(BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	Each	samdrup jongkhar administration	30	1500	2700
76	2inch Valve box key with 3 points (submit the sample)	Each	samdrup jongkhar administration	30	1500	2200
77	1 1/2inch Valve box key with 3 points (submit the sample)	Each	samdrup jongkhar administration	30	1500	1800
78	1/2inch Valve box key with 3 points (submit the sample)	Each	samdrup jongkhar administration	30	700	1500
79	Wheel Bearing Grease. in 1/2 kg pot	Pot	samdrup jongkhar administration	30	600	450
80	Nails - U. 8 SWG H=35 mm. W=10 mm Sharpened	Kg	samdrup jongkhar administration	30	120	120
81	Nails 4inch Galvanised wire nails sharpened	Kg	samdrup jongkhar administration	30	90	95
82	Nails 3inch Galvanised wire nails sharpened	kg	samdrup jongkhar administration	30	90	95
83	Nails 2inch Galvanised wire nails sharpened	kg	samdrup jongkhar administration	30	75	95
84	Prefab manhole cover & slab As per drawing & specification (submit the sample)	Set	samdrup jongkhar administration	30	2550	2250
85	Rebar 6mm. TATA steel bars. Plain IS - 1786/1985. Grade FE415. TOR	Kg	samdrup jongkhar administration	30	75	65
86	Rebar 10mm. TATA steel bars. IS - 1786/1985. Grade FE415. TOR	Kg	samdrup jongkhar administration	30	75	65
87	Hessian jute. 7.5 oz width 90cm. In roll of 30 meter.	Mtr	samdrup jongkhar administration	30	0	65
88	Barbed wire Gauge 12 SWG double wired. double barbed 90 degrees angle. every 10 cm. galvanized (IS- 278/1969). In roll of 30 kg weight tolerance +3 kg. -0 kg(BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	30kg)R	samdrup jongkhar administration	30	3000	92
89	Wire. GI binding Gauge 22 SWG. In roll of 1kg (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	kg	samdrup jongkhar administration	30	120	110

90	Wire. mesh chicken 23 SWG. hexagonal 15 mm. 11/2inch full twist. double string at side. width 1 metre. in rolls of 25 m (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	m	samdrup jongkhar administration	30	65	65
91	Wire.Plain Gauge 8 SWG with light galvanized coating. In rolls of 40 kg. weight tolerance of +3 kg. -0 kg. (BSB approved brands. need to submit the sample and manufacturer's certificate of origin)	Kg	samdrup jongkhar administration	30	120	98
92	Double Blade. hacksaw single side IS 2594-1976(submit the sample)	each	samdrup jongkhar administration	30	20	15
93	Measuring tape(50mtr) (submit the sample. Bosch brand)	each	samdrup jongkhar administration	30	720	750
94	Measuring tape(30) (submit the sample. Bosch brand)	each	samdrup jongkhar administration	30	550	320
95	Measuring tape(5mtr) (submit the sample. Bosch brand)	each	samdrup jongkhar administration	30	150	140
96	Teflon cover/bag	each	samdrup jongkhar administration	30	0	750
97	Thermochrome crayon	each	samdrup jongkhar administration	30	0	880
98	Tin cutter/snip	each	samdrup jongkhar administration	30	700	750
99	Trowel. masonry 2 inch x 5 inch	each	samdrup jongkhar administration	30	80	50
100	Trowel. masonry 4 inch x 8 inch	each	samdrup jongkhar administration	30	80	70
101	Pipe chain vice 6inch (Ludra brand)	each	samdrup jongkhar administration	30	5200	1820
102	Pipe chain vice 4inch (Ludra brand)	each	samdrup jongkhar administration	30	4900	1525
103	Pipe chain vice 3inch (Ludra brand)	each	samdrup jongkhar administration	30	3800	1025
104	Vice 6inch (Bench)	each	samdrup jongkhar administration	30	7500	4800
105	Vice 3inch (Bench)	each	samdrup jongkhar administration	30	3500	2800
106	Wrench. pipe 48inch (Ludra brand)	each	samdrup jongkhar administration	30	0	415
107	Wrench. pipe 36inch (Ludra brand)	each	samdrup jongkhar administration	30	2100	350
108	Stone chisel 11/2inch	each	samdrup jongkhar administration	30	805	350
109	Hacksaw frame	each	samdrup jongkhar administration	30	300	150
110	Hammer. Mason 1/2 kg	each	samdrup jongkhar administration	30	300	160
111	Hammer. sledge 1 kg	each	samdrup jongkhar administration	30	350	160
112	Heating Plate. 125 mm dia & 20mm (submit the sample)	each	samdrup jongkhar administration	30	2200	3250

113	Heating Plate. 100 mm dia & 15mm (submit the sample)	each	samdrup jongkhar administration	30	1700	2850
114	Pliers 8inch (submit the sample)	each	samdrup jongkhar administration	30	300	260
115	Wrench. pipe 24inch (Ludra brand)	each	samdrup jongkhar administration	30	1750	220
116	Wrench. pipe 18inch (Ludra brand)	each	samdrup jongkhar administration	30	1400	1200
117	Wrench. pipe 14inch (Ludra brand)	each	samdrup jongkhar administration	30	1200	600
118	Wrench. pipe 12inch (Ludra brand)	each	samdrup jongkhar administration	30	600	320
119	Wrench slide 14inch (Ludra brand)	each	samdrup jongkhar administration	30	450	380
120	Portable vice set- 3inch to 4inch with stand (submit sample)	each	samdrup jongkhar administration	30	0	10280
121	Portable vice set- 1/2inch to 2inch with stand (submit sample)	each	samdrup jongkhar administration	30	0	6000
122	Pipe chain wrench for heavy duty 48inch (submit sample)	each	samdrup jongkhar administration	30	5100	1920
123	Pipe chain wrench for heavy duty 36inch (submit sample)	each	samdrup jongkhar administration	30	5100	1880
124	Ratchet die set 3inch to 4inch (submit sample)	each	samdrup jongkhar administration	30	18000	10280
125	Ratchet die set 1 1/4inch to 2inch (submit sample)	each	samdrup jongkhar administration	30	9000	3950
126	Ratchet die set 1/2inch to 1inch (submit sample)	each	samdrup jongkhar administration	30	4000	2330
127	Die bit 4inch for ratchet die set (submit sample)	each	samdrup jongkhar administration	30	2700	2350
128	Die bit 3inch for ratchet set (submit sample)	each	samdrup jongkhar administration	30	1750	1330
129	Die bit 2inch for ratchet die set (submit sample)	each	samdrup jongkhar administration	30	920	800
130	Hand/angle Grinder (BOSCH GWS 060)	each	samdrup jongkhar administration	30	3500	2850
131	Rod cutter blade 4inch (submit sample)	each	samdrup jongkhar administration	30	20	20
132	Suunto Tandern Clinometer with precision compass 9 360 PC/360 R)	each	samdrup jongkhar administration	30	28500	9500
133	Abney level	each	samdrup jongkhar administration	30	0	25500
134	line and point laser level. GLL 1P	each	samdrup jongkhar administration	30	5600	4500
135	(Bosch 108 Pieces All-in-One Metal Hand Tool Kit.	each	samdrup jongkhar	30	7500	9500

	2607002790) 9 Screwdriver Bits. 6 Hexagon Socket Wrenches. 8 Precision Bits. 2 Adaptors. 1 Ratchet Hand Screwdrivers. 8 Allen Keys. 3 Masonry Drill Bits. 30 S-Plugs. 30 Screws. Flat-nose Pliers. Combination Pliers. 1 Tester. 1 Hammer. Cutter. Measuring Tape 3m. 1 Insulation Tape. 1 Torch. 1 Wrench. 1 Handsaw		administration			
136	Bosch Electrician Kit GSB 550	each	samdrup jongkhar administration	30	5600	8800
137	Garmin GPSMAP 64SXGPS	each	samdrup jongkhar administration	30	60100	6500
138	Safety Helmets (KARAM)	each	samdrup jongkhar administration	30	300	220
139	Safety Gloves	each	samdrup jongkhar administration	30	200	85
140	Cantilever tools box three compartment	each	samdrup jongkhar administration	30	0	3500
141	Reflector jackets/safety jacket	each	samdrup jongkhar administration	30	750	95
142	Altimeter	each	samdrup jongkhar administration	30	0	9500
143	Safetoe steel toe work boots for Man & Women, Waterproof safty boots lighthweight industrial and construction shoes (Need to submit the sample and manufacturer orgin)	Pair	samdrup jongkhar administration	30	3500	1250
144	Gumboots (Need to submit the sample and manufacturer orgin)	Pair	samdrup jongkhar administration	30	650	420
145	BULLDOG GRIP (3 mm)	each	samdrup jongkhar administration	30	300	60
146	BULLDOG GRIP (6 mm)	each	samdrup jongkhar administration	30	300	65
147	BULLDOG GRIP (8 mm)	each	samdrup jongkhar administration	30	300	80
148	BULLDOG GRIP (10 mm)	each	samdrup jongkhar administration	30	300	95
149	BULLDOG GRIP (13 mm)	each	samdrup jongkhar administration	30	400	120
150	BULLDOG GRIP (16 mm)	each	samdrup jongkhar administration	30	400	135
151	BULLDOG GRIP (20 mm)	each	samdrup jongkhar administration	30	600	145
152	BULLDOG GRIP (26 mm)	each	samdrup jongkhar administration	30	600	165
153	BULLDOG GRIP (32 mm)	each	samdrup jongkhar administration	30	900	200
154	CABLE (WIRE ROPE) (3 mm)	mtr	samdrup jongkhar administration	30	0	85
155	CABLE (WIRE ROPE) (6 mm)	mtr	samdrup jongkhar administration	30	0	95
156	CABLE (WIRE ROPE) (8 mm)	mtr	samdrup jongkhar administration	30	0	125

157	CABLE (WIRE ROPE) (10 mm)	mtr	samdrup jongkhar administration	30	0	135
158	CABLE (WIRE ROPE) (13 mm)	mtr	samdrup jongkhar administration	30	0	145
159	CABLE (WIRE ROPE) (16 mm)	mtr	samdrup jongkhar administration	30	0	165
160	CABLE (WIRE ROPE) (20 mm)	mtr	samdrup jongkhar administration	30	0	185
161	CABLE (WIRE ROPE) (26 mm)	mtr	samdrup jongkhar administration	30	0	195
162	CABLE (WIRE ROPE) (32 mm)	mtr	samdrup jongkhar administration	30	0	225
163	COMPOUND, PIPE JOINING	pot	samdrup jongkhar administration	30	0	450
164	GREASE 1/2 kg	pot	samdrup jongkhar administration	30	0	450
165	HEMP	bdle	samdrup jongkhar administration	30	0	6500
166	Bosh GSB 500W drill machine set, (1 500W hammer drill, 1 Measuring tape, 10 screwdriver bit, 30 screw and plugs, 4 Metal drill bit, 1 Claw hammer, 8 Socket wrench, 1 adjustable knife, 1 Screw bit holder, 5 wood drill bit, 5 Masonry drill bit, 1 combination plier, 1 Adjustable wrench, 1 spirit level, 1 key chuck.	Set	samdrup jongkhar administration	30	10500	7800