

Sl No.	Name and Description of Item	Unit	Point of Delivery	Total Price in Figure [In Nu.]			
				KARMA TSHONGKHANG	BAIJNATH GUPTA & SONS	NORGU Traders	Kungadendup Enterprise
1	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 0.75 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	1050	810	0	853
2	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) -1.0 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	1210	1080	0	1132
3	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) -1.5 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	1700	1620	0	1675
4	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 2.5 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	2610	2610	0	2621
5	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 4 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	3900	3582	0	3906
6	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) - 6 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	6150	5580	0	5910
7	Copper Cable Single core 1.1kV grade PVC Insulated Copper conductor (Multi strand) -10 sq.mm Richa/Hevells/royal	Roll	Sjongkhar Adm	11500	10800	0	10165
8	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -1.5 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	38	34	0	0
9	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -2.5 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	68	34	0	0
10	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -4 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	98	118	0	150
11	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -6 sq.mm	M	Sjongkhar Adm	145	185	0	205
12	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -10 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	200	292	0	330
13	Copper Cable Twin Core (2-core) 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor)-16 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	500	450	0	0
14	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) 6 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	360	175	0	0
15	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor)10 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	460	575	0	0
16	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -16 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	650	860	0	0
17	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -25 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	1450	0	0
18	Copper Cable 4-core un- armoured 1.1kV grade PVC insulated and sheathed weather proof wire (Copper conductor) -35 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	1650	0	0

19	Aluminium wire/ power cables Twin core (2-core), 6 sq.mm BTC overhead cable	Roll	Sjongkhar Adm	3500	2200	0	0
20	Aluminium wire/ power cables Twin core (2-core), 10 sq.mm BTC overhead cable	Roll	Sjongkhar Adm	4500	3680	0	0
21	Aluminium wire/ power cables Twin core (2-core), 16 sq.mm BTC overhead cable	Roll	Sjongkhar Adm	6800	7200	0	0
22	2-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 6 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	110	119	0	0
23	2-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 10 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	120	150	0	0
24	2-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 16 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	140	153	0	0
25	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 6 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	129	0	0
26	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 10 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	164	0	0
27	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 16 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	170	0	0
28	3-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 25 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	218	0	0
29	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 25 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	257	0	0
30	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 35 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	318	0	0
31	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 50 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	426	0	0
32	3.5-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 70 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	576	0	0
33	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable (Richa, Havells, Royal cable) 6 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	154	0	0
34	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 10 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	186	0	0
35	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 16 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	260	223	0	0
36	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 25 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	340	273	0	0
37	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 35 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	450	360	0	0

38	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 50 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	560	466	0	0
39	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 70 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	634	0	0
40	4-core, 1.1kV grade PVC insulated and sheathed weather proof armoured Aluminium power cable(Richa, Havells, Royal cable) 150 sq.mm Richa/Hevells/royal	M	Sjongkhar Adm	0	1188	0	0
41	7.5 M high, Octagonal street light pole with pole cap & bracket fixed at 115 degree, detachable baseplate 250x250x40mm, cable entry hole of 16mm dia. At 1.1m from base. Double coat Al. paint	Each	Sjongkhar Adm	0	18500	0	0
42	3.5 m, 4.5 mm thick MS tubular pole suitable for post top fixture Al. painted	Each	Sjongkhar Adm	0	12500	0	0
43	Single arm bracket suitable for Octagonal street light pole.	Each	Sjongkhar Adm	0	1650	0	0
44	Double arm bracket suitable for Octagonal street light pole.	Each	Sjongkhar Adm	0	1950	0	0
45	7.5 M high, MS tubular pole with pole cap & detachable baseplate 250x250x40mm, cable entry hole of 16mm dia. At 1.1m from base. Double coat Al. paint	Each	Sjongkhar Adm	0	18500	0	0
46	Single arm bracket suitable for MS Tubular pole	Each	Sjongkhar Adm	0	1650	0	0
47	Double arm bracket suitable for MS Tubular pole	Each	Sjongkhar Adm	0	1950	0	0
48	Triple arm bracket suitable for MS Tubular pole	Each	Sjongkhar Adm	0	2250	0	0
49	4 arm bracket suitable for MS Tubular pole	Each	Sjongkhar Adm	0	2650	0	0
50	Street light fixture Ref. Cat. No. BRTFG 30W LED (Code 169800)with IP66 protection device Bajaj /Havells	each	Sjongkhar Adm	5900	1880	0	1015
51	Street light fixture Ref. Cat. No. BRTFG 45W LED (Code169800)with IP66 protection device Bajaj /Havells	each	Sjongkhar Adm	6500	2580	0	1410
52	Street light fixture Ref. Cat. No. BRTFG 60W LED (Code169800)with IP66 protection device Bajaj /Havell	each	Sjongkhar Adm	6500	3280	0	2570
53	Street light fixture Ref. Cat. No. BRTFG 90W LED (Code169800)with IP66 protection device Bajaj /Havells	each	Sjongkhar Adm	7000	4580	0	0
54	Street light fixture Ref. Cat. No. BRTFG 100W LED WW (Code 169885)with IP66 protection device Bajaj /Havells	Each	Sjongkhar Adm	7000	5200	0	0
55	LED Floodlight (code 112716, BJFL 30W LED) Bajaj /Havells/Syska equivalent	Each	Sjongkhar Adm	4500	1900	950	1755
56	LED Floodlight (code 112726, BJFL 50W LED) Bajaj /Havells/Syska equivalent	Each	Sjongkhar Adm	5100	3500	950	1855
57	LED Floodlight (code 169936, BJFL 100W LED) Bajaj /Havells/Syska equivalent	Each	Sjongkhar Adm	6700	6250	1850	3255
58	LED post top compound light fixture Bajaj Arian LED Post Top Lamp BGCT W4 LED WW	Each	Sjongkhar Adm	6700	8850	0	0
59	Alumunium Bajaj Arian 45W LED post top Lamp, 230V, 45W.	Each	Sjongkhar Adm	9500	8850	0	0
60	LED Uplight Vertico (code 112468, BLWUP 9W LED WW) Bajaj /Havells	Each	Sjongkhar Adm	16500	12500	0	0

61	Solar standalone (all in one) streetlight system consist of solar LED luminaire, solar panel, solar low maintenance flooded battery (Falcon solar luminaire 60 watt. Bajaj /Havells	Each	Sjongkhar Adm	92000	58000	0	0
62	Square shape, integral decorative LED bollard light with opel acrylic with IP65 protection (Code 111287, BGBOS 405, 6 watt) Bajaj/Havells	Each	Sjongkhar Adm	4600	3950	0	0
63	Square shape, integral decorative LED bollard light with opel acrylic with IP65 protection (Code 111286, BGBOS 405, 9 watt) Bajaj/Havells	Each	Sjongkhar Adm	4600	4250	0	0
64	Minipiller box (readymade welded) medium size (600x450x 1000mm) with 1200mm length Angle iron fabricated stand/leg with inbuild 4 strip, 450mm Al. bus-bar having terminal hole of 10mm Dia. At 20mm interval, suitable to accomodate in the 250 Amps, 4- pole MCCB, Anolog timer and contractor etc as required (Consult Electrical section for clarification). 3- phase, max 1000 volt	Each	Sjongkhar Adm	48000	45000	0	0
65	MS, Terminal/ Junction/ box suitable to fix on the street light poles with pole clamp Prefabricated	Each	Sjongkhar Adm	38000	2250	0	0
66	MS, pole clamp with nut and bolt	Each	Sjongkhar Adm	1500	1250	0	0
67	GI spike earthing rod (1200mm long)	Each	Sjongkhar Adm	7000	1450	0	0
68	GI spike earthing rod (1800mm long)	Each	Sjongkhar Adm	9000	1650	0	0
69	Marshaling/Junction box(150X100X250)mm with 14SWG, removal cover plate with gasket for dust and water proof, 2 earthing terminals with nust,bolts and spring washer,2 entry holes 16mm dia. at bottom, 32mm dia for cable entrance.	Each	Sjongkhar Adm	0	2250	0	0
70	Underground cable route marker(Standard size) 250mm long.	each	Sjongkhar Adm	0	3650	0	0
71	SKYLITE recess mounting LED 2x2 luminaire (code 111981, BCTBLR 36w ZTN NW, neutal white) Bajaj /Havells	each	Sjongkhar Adm	4550	3650	0	0
72	SKYLITE Surface mounting LED 2x2 luminaire (code 111653, BCTBLR 36w ZTN NW, neutal white) Bajaj /Havells	each	Sjongkhar Adm	4550	3650	0	0
73	SKYLUX Surface mounting LED 1x1 luminaire (code 111913, BZSSOL 18w WH, neutal white) Bajaj /Havells	each	Sjongkhar Adm	4550	3180	0	0
74	Felxi LED strip- 5W/mtr, 5 mtr roll driver included Bajaj /Havells	each	Sjongkhar Adm	3500	4250	0	650
75	SLEEK RD- Surface mounted round downlight Bajaj /Havells	each	Sjongkhar Adm	4200	495	0	0
76	112541, BGSLO sleek surface 3W WH RD, LED) Bajaj /Havells	Each	Sjongkhar Adm	600	495	320	0
77	112542, BGSLO sleek surface 6W WH RD, LED) Bajaj /Havells	Each	Sjongkhar Adm	600	715	420	0
78	112543, BGSLO sleek surface 12W WH RD, LED) Bajaj /Havells	Each	Sjongkhar Adm	750	680	480	330
79	SLEEK SQ- Surface mounted square downlight Bajaj /Havells	Each	Sjongkhar Adm	0	900	0	0
80	112546, BGSLO sleek surface 4W WH RD, LED) Bajaj /Havells	Each	Sjongkhar Adm	900	485	0	0
81	112547, BGSLO sleek surface 8W WH RD, LED) Bajaj /Havells	Each	Sjongkhar Adm	900	550	0	200

82	112548, BGSLO sleek surface 15W WH RD, LED) Bajaj /Havells	Each	Sjongkhar Adm	1100	715	0	360
83	LED Tube light fixture (LUMILINEBS 18/20W LED830SPCWH), 18/20 Watt, Lumiline.Bajaj /Havells	each	Sjongkhar Adm	380	250	250	250
84	LED NEW ADORE 15W E27 WW BALL LAMP(LHLDERHEMD8X015)15 Watt	each	Sjongkhar Adm	380	215	0	0
85	PVC insulation tape	Each	Sjongkhar Adm	12	15	0	10
86	Weather proof Amepere tape	Each	Sjongkhar Adm	180	250	0	0
87	Flush typed single pole switch (Havells) 6AMP	Each	Sjongkhar Adm	20	200	0	0
88	5/6 Pin S/S combined Socket with base, without indicator (Hensel) 16AMP	Each	Sjongkhar Adm	220	165	0	135
89	5/6 Pin Switch Socket com. Socket with indicator and fuse (Hensel) 16AMP	Each	Sjongkhar Adm	280	200	0	175
90	PVC switch box/ gang box 1 way	Each	Sjongkhar Adm	20	20	0	25
91	PVC switch box/ gang box 2 way	Each	Sjongkhar Adm	25	25	0	30
92	PVC switch box/ gang box 3 way	Each	Sjongkhar Adm	30	30	0	35
93	PVC switch box/ gang box 4 way	Each	Sjongkhar Adm	40	40	0	40
94	PVC switch box/ gang box 6 way	Each	Sjongkhar Adm	60	50	0	60
95	PVC switch box/ gang box 8 way (Liner)	Each	Sjongkhar Adm	70	60	0	0
96	PVC switch box/ gang box 8 way (Square)	Each	Sjongkhar Adm	80	60	0	0
97	PVC switch box/ gang box 12 way (Square)	Each	Sjongkhar Adm	0	0	0	0
98	Wire nail 1inch/ 2 inch	kg	Sjongkhar Adm	0	90	0	0
99	Incandencent lamp (Ordinary) Bulb 60watt	Each	Sjongkhar Adm	12	12	0	0
100	Incandencent lamp (Ordinary) Bulb 100watt	Each	Sjongkhar Adm	12	12	0	0
101	LED Lamps 5 watt phillips,Syska & equivelent	Each	Sjongkhar Adm	90	85	60	58
102	LED Lamps 7 watt, phillips,Syska & equivelent	Each	Sjongkhar Adm	120	95	70	60
103	LED Lamps 9 watt, phillips,Syska & equivelent	Each	Sjongkhar Adm	150	95	110	70
104	LED Lamps 12 watt, phillips,Syska & equivelent	Each	Sjongkhar Adm	380	145	145	100
105	LED Lamps 23 watt, phillips,Syska & equivelent	Each	Sjongkhar Adm	600	245	225	260
106	LED Lamps 40 watt, phillips,Syska & equivelent	Each	Sjongkhar Adm	850	550	480	450
107	LED Lamps 60 watt, phillips,Syska & equivelent	Each	Sjongkhar Adm	0	0	860	0
108	Tube light complete fittings 1xTL- 40W without lamp 4ft.long. Single	Set	Sjongkhar Adm	350	225	0	0
109	Tube rod 18W 2ft. long	Eeach	Sjongkhar Adm	50	0	0	150
110	Tube rod 40W 4ft. long	Each	Sjongkhar Adm	50	50	0	250
111	Starter 40 Watt	Each	Sjongkhar Adm	10	10	0	0
112	Choke 40 Watt	Each	Sjongkhar Adm	280	150	0	0
113	Celing fan (cromptom/Orient/ Berlia & equivalent) 48 inches	Set	Sjongkhar Adm	2400	1650	0	1350
114	Celing fan (cromptom/Orient/ Berlia & equivalent) 56 inches	Set	Sjongkhar Adm	2900	1750	0	1550
115	Table fan (cromptom/Orient/ Berlia & equivalent)	Set	Sjongkhar Adm	2350	2200	0	2250

116	Stand fan (crompton/Orient/ Berlia & equivalent)	Set	Sjongkhar Adm	3500	3200	0	2750
117	Wall Fan (crompton/Orient/ Berlia & equivalent)	Set	Sjongkhar Adm	3400	2200	0	2350
118	Fan Capacitor	each	Sjongkhar Adm	50	50	0	100
119	Single phase AC Motor capacitor 5/6 pin 45MFP, 450VAC,CPCOS	each	Sjongkhar Adm	0	250	0	0
120	Single phase AC Motor capacitor 5/6 pin 50MFP, 450VAC, EPCOS	each	Sjongkhar Adm	0	250	0	0
121	Fan Regulator (Dimmer), Anchor	Each	Sjongkhar Adm	290	200	0	168
122	Angle Holder (Havells)	Each	Sjongkhar Adm	30	30	0	27
123	Batten Holder	Each	Sjongkhar Adm	30	30	0	27
124	Pendent Holder	Each	Sjongkhar Adm	20	30	0	27
125	Fan Hook	Each	Sjongkhar Adm	200	180	0	0
126	Multi Plug 6 AMP	Each	Sjongkhar Adm	70	60	0	58
127	Multi Plug 16 AMP	Each	Sjongkhar Adm	160	120	0	99
128	Plug top, 3 pin 6 AMP	Each	Sjongkhar Adm	50	60	0	51
129	Plug top, 3 pin 16 AMP	Each	Sjongkhar Adm	120	115	0	68
130	Wooden Screw (Best Quality) (10mm to 35mm)	Pkt	Sjongkhar Adm	60	60	0	0
131	G.I Wire 8 SWG	M	Sjongkhar Adm	120	110	0	0
132	G.I Wire 14 SWG	M	Sjongkhar Adm	120	110	0	0
133	Cu Wire 8 SWG	M	Sjongkhar Adm	1500	110	0	0
134	Cu Wire 14 SWG	M	Sjongkhar Adm	1500	110	0	0
135	GI earthing plate (600x600x6)mm	Each	Sjongkhar Adm	1200	1100	0	0
136	Cu earthing plate (600x600x6)mm	Each	Sjongkhar Adm	3500	4980	0	0
137	Charcoal for Earthing	Kg	Sjongkhar Adm	0	80	0	0
138	25x4mm G.I strip	M	Sjongkhar Adm	0	150	0	0
139	25x6mm G.I strip	M	Sjongkhar Adm	0	160	0	0
140	25x4mm copper strip	M	Sjongkhar Adm	0	1650	0	0
141	Salt Com.Salt	Kg	Sjongkhar Adm	60	25	0	0
142	Flexible wire(Heavy duty) (Wipro/Haloxin) Anchor	M	Sjongkhar Adm	20	20	0	20
143	Stebliizer 2 KVA	Each	Sjongkhar Adm	11500	35000	0	0
144	Stebliizer 1.5 KVA	Each	Sjongkhar Adm	10500	25010	0	0
145	Buzzer call bell Bajaj/Anchor	Each	Sjongkhar Adm	280	150	0	150
146	Musical calling bell Bajaj/Anchor	Each	Sjongkhar Adm	280	150	0	250
147	PVC pipe (Queen Seal) 1/2 inches	M	Sjongkhar Adm	20	20	0	0
148	PVC pipe 3/4 inches	M	Sjongkhar Adm	25	20	0	0
149	PVC pipe 1 inch	M	Sjongkhar Adm	35	25	0	0

150	PVC circular box 1 way	Each	Sjongkhar Adm	20	10	0	0
151	PVC circular box 2 way	Each	Sjongkhar Adm	25	10	0	0
152	PVC circular box 3 way	Each	Sjongkhar Adm	30	10	0	0
153	PVC circular box 4 way	Each	Sjongkhar Adm	35	10	0	0
154	PVC bend 3/4 inches	Each	Sjongkhar Adm	10	10	0	0
155	PVC bend 1/2 inches	Each	Sjongkhar Adm	10	10	0	0
156	PVC saddle 1/2 inches	Each	Sjongkhar Adm	5	5	0	0
157	PVC saddle 3/4 inches	Each	Sjongkhar Adm	5	5	0	0
158	PVC Cassing Capping 0.5 inch	each	Sjongkhar Adm	20	44	0	0
159	PVC Cassing Capping 0.75 inch	each	Sjongkhar Adm	20	44	0	0
160	PVC Cassing Capping 1 inch	each	Sjongkhar Adm	25	60	0	75
161	PVC Square boxes	each	Sjongkhar Adm	20	10	0	35
162	External bend 1/2 inches	Each	Sjongkhar Adm	10	5	0	0
163	External bend 3/4 inches	Each	Sjongkhar Adm	10	5	0	0
164	External bend 1 inch	Each	Sjongkhar Adm	10	5	0	0
165	Internal bend 1/2 inches	Each	Sjongkhar Adm	10	5	0	0
166	Internal bend 3/4 inches	Each	Sjongkhar Adm	10	5	0	0
167	Internal bend 1 inch	Each	Sjongkhar Adm	10	5	0	0
168	Tee (Cassing capping) 1 inch	Each	Sjongkhar Adm	10	5	0	25
169	Elbow (Cassing Capping) 1 inch	Each	Sjongkhar Adm	10	5	0	25
170	Coupler(cassing Capping) 1 inch	Each	Sjongkhar Adm	10	5	0	25
171	Codeless mic battery, heavy duty	Each	Sjongkhar Adm	2500	5	0	0
172	Pencil Battery (Everyday) AA type 1.5 Volts	Each	Sjongkhar Adm	30	150	0	0
173	Duracell Rechargeable Battery AA type 1.5 Volts	Each	Sjongkhar Adm	1200	150	0	0
174	Duracell Rechargeable Battery AAA type 1.5 Volts	Each	Sjongkhar Adm	1200	1200	0	0
175	Duracell Battery charger CEF22- AA/AAA/C/D/9V High Speed Duracell	Each	Sjongkhar Adm	5100	1200	0	0
176	Miniature Circuit Breaker 230V A.C (MCB) Single Pole with its enclosure. Brand (Legrand/ Geco/ Havells) SP, MCB, 6 Amps.	Each	Sjongkhar Adm	220	250	0	114
177	Miniature Circuit Breaker 230V A.C (MCB) Single Pole with its enclosure. Brand (Legrand/ Geco/ Havells)SP, MCB, 10 Amps.	Each	Sjongkhar Adm	220	250	0	114
178	Miniature Circuit Breaker 230V A.C (MCB) Single Pole with its enclosure. Brand (Legrand/ Geco/ Havells) SP, MCB, 16 Amps.	Each	Sjongkhar Adm	220	250	0	114
179	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 20 Amps.	Each	Sjongkhar Adm	850	680	0	375

180	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 16 Amps.	Each	Sjongkhar Adm	850	680	0	375
181	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 32 Amps.	Each	Sjongkhar Adm	850	680	0	375
182	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 40 Amps.	Each	Sjongkhar Adm	950	850	0	575
183	Miniature Circuit Breaker 230V A.C (MCB) Double Pole with its enclosure Brand (Legrand/ Geco/ Havells) DP, MCB, 63 Amps.	Each	Sjongkhar Adm	1200	960	0	650
184	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 40 Amps.	Each	Sjongkhar Adm	0	1840	0	1090
185	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 63 Amps.	Each	Sjongkhar Adm	0	1840	0	1139
186	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 100 Amps.	Each	Sjongkhar Adm	0	2100	0	0
187	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 125Amps.	Each	Sjongkhar Adm	0	2100	0	0
188	Triple Pole with Neutral Miniature Circuit Breaker 230V A.C (TPNMCB) with its enclosure Brand (Legrand/ Geco/ Havells) TPN, MCB, 250 Amps.	Each	Sjongkhar Adm	0	19300	0	0
189	MCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4-pole, MCCB, 63 Amps, 25/35KA	Each	Sjongkhar Adm	9800	4400	0	2106
190	MCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4-pole, MCCB, 100 Amps, 35KA	Each	Sjongkhar Adm	13500	4400	0	2150
191	MCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4-pole, MCCB, 125 Amps, 35KA	Each	Sjongkhar Adm	19600	7100	0	7200
192	MCCB (4-pole) with its enclosure Brand (Legrand/ Geco/Havells) 4-pole, MCCB, 250 Amps,35KA	Each	Sjongkhar Adm	21200	17700	0	7500
193	RCCB (double-pole) with its enclosure Brand (Legrand/ Geco/ Havells)Double Pole, RCCB, 32 Amps.	Each	Sjongkhar Adm	0	2250	0	1785
194	RCCB (double-pole) with its enclosure Brand (Legrand/ Geco/ Havells)Double Pole, RCCB, 40 Amps.	Each	Sjongkhar Adm	4800	2250	0	1850
195	RCCB (double-pole) with its enclosure Brand (Legrand/ Geco/ Havells)Double Pole, RCCB, 63 Amps.	Each	Sjongkhar Adm	5200	2250	0	2217
196	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 63 Amps.	Each	Sjongkhar Adm	7500	2850	0	2510
197	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 100 Amps.	Each	Sjongkhar Adm	13900	12500	0	0
198	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 125Amps.	Each	Sjongkhar Adm	16500	16500	0	0
199	RCCB (4-pole) with its enclosure Brand (Legrand/ Geco/ Havells) 4- Pole, RCCB, 250Amps.	Each	Sjongkhar Adm	21500	0	0	0

200	Contactor Switch 4 pole, 63A Brand (Legrand/ Geco/ Havells) equivalent	Each	Sjongkhar Adm	7500	4500	0	0
201	Contactor Switch 4 pole, 100A Brand (Legrand/ Geco/ Havells) equivalent	Each	Sjongkhar Adm	25000	4500	0	0
202	Contactor Switch 2 pole, 63A Brand (Legrand/ Geco/ Havells) equivalent	Each	Sjongkhar Adm	9000	4500	0	0
203	Contactor Switch 2 pole, 100A Brand (Legrand/ Geco/ Havells) equivalent	Each	Sjongkhar Adm	15000	4500	0	0
204	SPN Distribution board, 2 ways	Each	Sjongkhar Adm	200	145	0	300
205	SPN Distribution board, 4 ways	Each	Sjongkhar Adm	300	220	0	470
206	SPN Distribution board, 6 ways	Each	Sjongkhar Adm	400	320	0	550
207	SPN Distribution board, 8 ways	Each	Sjongkhar Adm	600	480	0	620
208	SPN Distribution board, 10 ways	Each	Sjongkhar Adm	700	550	0	0
209	SPN Distribution board, 12 ways	Each	Sjongkhar Adm	900	650	0	820
210	SPN Distribution board, 16 ways	Each	Sjongkhar Adm	1500	750	0	980
211	TPN Distribution board, 4ways	Each	Sjongkhar Adm	0	1550	0	1350
212	TPN Distribution board, 6 ways	Each	Sjongkhar Adm	0	2150	0	1570
213	TPN Distribution board, 8 ways	Each	Sjongkhar Adm	0	1950	0	1980
214	TPN Distribution board, 10 ways	Each	Sjongkhar Adm	0	2250	0	0
215	TPN Distribution board, 12 ways	Each	Sjongkhar Adm	0	2360	0	0
216	TPN Distribution board, 16 ways	Each	Sjongkhar Adm	0	2650	0	0
217	SPN Distribution board, Double door & arcylc metal door, 2 ways	Each	Sjongkhar Adm	600	500	0	0
218	SPN Distribution board, Double door & arcylc metal door, 4 ways	Each	Sjongkhar Adm	800	500	0	850
219	SPN Distribution board, Double door & arcylc metal door, 6 ways	Each	Sjongkhar Adm	1200	590	0	1010
220	SPN Distribution board, Double door & arcylc metal door, 8 ways	Each	Sjongkhar Adm	1700	670	0	1110
221	SPN Distribution board, Double door & arcylc metal door, 10 ways	Each	Sjongkhar Adm	2100	750	0	0
222	SPN Distribution board, Double door & arcylc metal door, 12 ways	Each	Sjongkhar Adm	2100	830	0	1380
223	SPN Distribution board, Double door & arcylc metal door, 16 ways	Each	Sjongkhar Adm	2500	980	0	1860
224	SPN Distribution board, Double door & arcylc metal door, 12 ways	Each	Sjongkhar Adm	2500	830	0	1380
225	TPN Distribution board, Double door & arcylc metal door, 4 ways	Each	Sjongkhar Adm	0	1440	0	2200
226	TPN Distribution board, Double door & arcylc metal door, 4 ways	Each	Sjongkhar Adm	0	1430	0	2200
227	TPN Distribution board, Double door & arcylc metal door, 6 ways	Each	Sjongkhar Adm	0	1550	0	2720
228	TPN Distribution board, Double door & arcylc metal door, 8 ways	Each	Sjongkhar Adm	0	1650	0	3530
229	TPN Distribution board, Double door & arcylc metal door, 12 ways	Each	Sjongkhar Adm	0	1850	0	0
230	TPN Distribution board, Double door & arcylc metal door, 16 ways	Each	Sjongkhar Adm	0	2850	0	0
231	Electronic Timer Switch,sensitivity 30mA,7days/24hrs,Legrand Digital	Each	Sjongkhar Adm	0	4500	0	0
232	Electronic Contactor compatable for Digital Timer Digital	Each	Sjongkhar Adm	0	6500	0	0
233	Bus-Bar Chamber (Copper 2- Strip), 300mm copper bar Brand Hensel/ Geco (63 Amps)	Set	Sjongkhar Adm	3000	1850	0	0

234	Bus-Bar Chamber (Copper 2- Strip), 300mm copper bar Brand Hensel/ Geco (100 Amps)	Set	Sjongkhar Adm	5800	1850	0	0
235	Bus-Bar Chamber (Copper 4- Strip), 300mm copper bar Brand Hensel/ Geco (63 Amps)	Set	Sjongkhar Adm	5700	1850	0	2850
236	Bus-Bar Chamber (Copper 4- Strip), 300mm copper bar. Brand Hensel/ Geco (100 Amps)	Set	Sjongkhar Adm	7000	4200	0	3850
237	Bus-Bar Chamber (Copper 4- Strip), 300mm copper bar. Brand Hensel/ Geco (200 Amps)	Each	Sjongkhar Adm	8000	5800	0	6850
238	Copper lighting Arrester 25mm dia. 900mm long, copper tube four prong at top with 85mm dia. 3mm thick	Set	Sjongkhar Adm	9000	1950	0	0
239	Phase Sequence Testers export quality	Each	Sjongkhar Adm	0	12000	0	0
240	Wrench with complete Nine Piece set export quality	Each	Sjongkhar Adm	0	1250	0	0
241	Neon Tester Taparia made	Each	Sjongkhar Adm	60	60	0	0
242	Screw driver set Taparia	Each	Sjongkhar Adm	300	220	0	0
243	Combination Plier, 6 inches Taparia	Each	Sjongkhar Adm	250	230	0	0
244	Long Nose plier, 6 inches Taparia	Each	Sjongkhar Adm	250	230	0	0
245	Soldering Iron 25Watt	Each	Sjongkhar Adm	1500	230	0	0
246	Soldering lead	Each	Sjongkhar Adm	800	180	0	0
247	Allen key set	Each	Sjongkhar Adm	200	250	0	0
248	Allen key socket set	Each	Sjongkhar Adm	7500	2500	0	0
249	Allen Key Screw driver	Each	Sjongkhar Adm	3500	25	0	0
250	Aluminium Alloy Thimbles 50mm	Each	Sjongkhar Adm	20	15	0	0
251	Aluminium Alloy Thimbles 25mm	Each	Sjongkhar Adm	20	15	0	0
252	Aluminium Alloy Thimbles 16mm	Each	Sjongkhar Adm	20	15	0	0
253	Aluminium Alloy Ferrul 50mm	Each	Sjongkhar Adm	30	25	0	0
254	Aluminium Alloy Ferrul 25mm	Each	Sjongkhar Adm	30	15	0	0
255	Aluminium Alloy Ferrul 16mm	Each	Sjongkhar Adm	30	15	0	0
256	Aluminium Ladder, 7 mtr long	Each	Sjongkhar Adm	42000	27500	0	0
257	Aluminium A type ladder, 2 mtr high	Each	Sjongkhar Adm	6000	6500	0	0
258	BOSCH heavy duty drilling machine (max. 10 inches depth) Concrete driller	Each	Sjongkhar Adm	8500	16500	0	0
259	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 25sqmm	Each	Sjongkhar Adm	2500	1850	0	0
260	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 35sqmm	Each	Sjongkhar Adm	4000	1950	0	0
261	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 50sqmm	Each	Sjongkhar Adm	7500	2250	0	0
262	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 75sqmm	Each	Sjongkhar Adm	12000	2850	0	0
263	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 100sqmm	Each	Sjongkhar Adm	15000	3500	0	0
264	Straight through Cable jointing kit, (Hot shrink jointer) Best Quality 125sqmm	Each	Sjongkhar Adm	17000	4500	0	0
265	Single Phase industrial plug and Socket.	each	Sjongkhar Adm	0	750	0	0
266	Three Phase industrial plug and Socket.	each	Sjongkhar Adm	0	1250	0	0

267	1 module 1 way switch,10A .Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	152	45	0	50
268	2 module 2 way switch,10A Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	160	125	0	120
269	2 module 1 way switch,10A Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	125	0	120
270	1 module 1 way switch,20A Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	257	95	0	100
271	1 module Dimmer/ E-Regulator Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	350	250	0	220
272	2 module Dimmer/ E-Regulator Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	280	0	300
273	2 Module,5/6pin,10A,230V Socket Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	150	0	95
274	3 Module,5/6pin,20A,230V Socket Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	650	440	0	155
275	PVC 1 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	110	70	0	75
276	PVC 2 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivalent	each	Sjongkhar Adm	130	70	0	75
277	PVC 3 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivelen	each	Sjongkhar Adm	145	90	0	95
278	PVC 4 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	152	105	0	125
279	PVC 6 module cover Plate, Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	175	148	0	155
280	PVC 8 module cover Plate (Square/ Linear), Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	275	190	0	95
281	PVC 12 module cover Plate (Square/ Linear), Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	240	0	235
282	PVC 16 module cover Plate (Square/ Linear), Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	270	0	260
283	PVC module Box, 1 module, Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	65	55	0	45
284	PVC module Box, 2 module, Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	65	55	0	45
285	PVC module Box, 3 module .Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	75	60	0	55
286	PVC module Box, 4 module, Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	120	75	0	60
287	PVC module Box, 6 module Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	130	95	0	70
288	PVC module Box, 8 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	145	95	0	100
289	PVC module Box, 12 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	135	0	150
290	PVC module Box, 16 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	140	0	150
291	MS module Box, 1 module Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	55	0	50
292	MS module Box, 2 module Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	55	0	50
293	MS module Box, 3 module Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	60	0	60
294	MS module Box, 4 module Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	75	0	70
295	MS module Box, 6 module Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	95	0	90
296	MS module Box, 8 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	135	0	110
297	MS module Box, 12 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivalent.	each	Sjongkhar Adm	0	140	0	130
298	MS module Box, 16 module (Square/ Linear) Roma,Legrand,Kolors,CPL/ Equivalent	each	Sjongkhar Adm	0	145	0	155
299	MS Saddle 3/4"X1.5 mm, steel	each	Sjongkhar Adm	5	5	0	0
300	MS Saddle 1/2"X1.5 mm, steel	each	Sjongkhar Adm	5	5	0	0

301	MS Saddle 1"X1.5 mm, steel	each	Sjongkhar Adm	5	5	0	0
302	PVC dowel, 35mm, 100 pcs	each	Sjongkhar Adm	50	50	0	0
303	PVC dowel,35mm, 100 pcs	each	Sjongkhar Adm	50	50	0	0
304	Ceiling rose	each	Sjongkhar Adm	20	25	0	0
305	Tempper pin	Pkt	Sjongkhar Adm	50	35	0	0
306	Pannel pin	Pkt	Sjongkhar Adm	70	60	0	0
307	Leica DISTO D2 New 100m/330ft Metric Imperial Laser Distance Measure with Bluetooth 4.0 - Black/Red/Equivalent	each	Sjongkhar Adm	0	55000	0	0